Restaurant
COOLER GASKETS

WWW.RESTAURANTCOOLERGASKETS.COM
(877) 434-1985

# Free Standing Strip Door
## INSTALLATION DIRECTIONS






**WARNING**

Please ensure the product is acclimated to a minimum room temperature of 50°F (10°C) prior to unfolding. Failure to do so may result in "cold cracking." Please be advised that Restaurant Cooler Gaskets does not provide warranty coverage for damage caused by improper thermal handling.

**2" Square Tubing Components:** Used for Free Standing Strip Enclosures (Tek Screws Supplied with Hardware Components)

## BASIC FREE-STANDING SETUP

- 12” x 12” Floor Mount Base (FMB-12-2)
- 2” Floor Mount Columns - Specify Height Up to 10’ (FMC-___-2)
- Floor Support Splice Connectors (FSSC-2) Used to Splice Sections Together
- Wall Mount Connector (WMC-2) Used When Mounting to Wall
- Floor Support End Connector (FSEC-2)








(SCC-2 Support Corner Connector can be used in place of a FSEC-2 Floor Support End Connector )

## CORNER SETUPS

- 12” x 12” Floor Mount Base (FMB-12-2)
- 2” Floor Mount Columns - Specify Height Up to 10’ (FMC-___-2)
- Three Way Corner Connector (TWCC-2)
- Wall Mount Connector (WMC-2) Used When Mounting to Wall




## STANDARD PVC STRIP DOOR OPTIONS FOR FREE STANDIND STRIP DOORS



# PVC Strip Material Type

PLEASE SELECT ONE MATERIAL TYPE

- ☐ Standard Clear Flat (0˚ to 150˚F)
- ☐ Standard Clear Ribbed (0˚ to 150˚F)
- ☐ USDA Low Temp Flat (-20˚ to 140˚F)
- ☐ UDSA Low Temp Ribbed (-20˚ to 140˚F)
- ☐ Extra Low Temp Flat (-40˚ to 140˚F )
- ☐ Anti-Static (0˚ to 150˚F)
- ☐ Amber Weld Screen (0˚ to 150˚F)
- ☐ Aztec Red Weld Screen (0˚ to 150˚F)
- ☐ Black Opaque (0˚ to 150˚F)
- ☐ Other _____

- ☐ Include Safety Orange End Strips

# Floor Mount 2" Components - Bill of Materials

| Quantity | Part and Model |
|---|---|
| _____ | Floor Mount Base 12" x 12" (FMB-12-2) |
| _____ | Floor Mount Columns 2" Tube - (FMC-___-2) |
| _____ | Floor Support Splice Connectors (FSSC-2) |
| _____ | Floor Support End Connector (FSEC-2) |
| _____ | Support Corner Connector (SSC-2) |
| _____ | 2" Square Tube with Pre-Attached Strip Door |
| _____ | Hardware (ST2-UL) |
| _____ | Wall Mount Connector (WMC-2) |

Application Notes:

_____

_____

_____

_____

Restaurant COOLER GASKETS